

WASTE PROFILE

Perma-Fix Nuclear Services: DSSI * M&EC * Perma-Fix of Florida

Profile Number

Generator Information:

EPA ID#	<input type="text"/>
Generator Name	<input type="text"/>
Generator Address	<input type="text"/>
City/State/Zip	<input type="text"/>
Telephone	<input type="text"/>
Fax	<input type="text"/>

Billing Information:

Electronic users: check here to copy Generator info, if same.

Broker/Site	ADCO SERVICES, INC.
Address	17650 DUVAN DRIVE
City/St/Zip	TINLEY PARK, IL 60477
Telephone	800-282-2326
Fax	708-429-9759

Waste Category	PCB Category	Physical Form
CERCLA Status	PCB Concentration	Characterization Method

Please provide a detailed description of the process that generated this waste.

Volume: <input type="text"/>	Gross Weight: <input type="text"/>	Container Type: <input type="text"/>	Total Number of Containers: <input type="text"/>
<small>(include units: 30 liters, 5 gal., etc)</small>	<small>(include units: 75 lbs, 10 kg, etc.)</small>		

DOT Hazard Class: primary Class subsidiary Class subsidiary Class

- This waste is subject to Benzene NESHAP
- This waste is subject to Beryllium NESHAP

Proper Shipping Name:

CHEMICAL PROPERTIES AND COMPOSITION:

Percent Free Liquid: <input type="text"/> % (None=0%, all=100%)	Percent Settled Solids: <input type="text"/> % (None=0%, all=100%)	Viscosity: <input type="text"/> Centistokes
pH Actual: <input type="text"/> OR Range: <input type="text"/> to <input type="text"/>	Specific Gravity Actual: <input type="text"/> OR Range: <input type="text"/> to <input type="text"/>	

CERTIFICATION

I certify that all information provided on this profile, LDR, and addendums is true and accurate, to the best of my knowledge. Further I understand that a surcharge may be imposed for any material which is rejected or requires additional handling due to the material being inconsistent with the profile, improper or damaged containers, or improper shipping documents. Any sample submitted is representative as defined in 40 CFR 261-Appendix I or is obtained using an equivalent method. I understand Perma-Fix may sample this waste to determine conformance with the profile and facility's waste acceptance criteria and that non-conformance may result in the shipment being rejected.

Name	Title	Date
------	-------	------

Perma-Fix Use Only

Accepted Accepted with the following conditions:

Rejected for the following reasons:

Designated Facility:

- DSSI
- M&EC
- PF Florida

Perma-Fix has all of the necessary permits and licenses for the waste that has been characterized and identified by this approved profile and accepted by Perma-Fix.

Name	Title	Date
------	-------	------